

EAST

SEARCH

05/24/2006 TM

	Type	L #	Hits	Search Text	DBs
1	BRS	L43	1484	trace with buffer	USPAT
2	BRS	L45	1219	trace.ti.	USPAT
3	BRS	L47	1	trace with buffer with vliw	USPAT
4	BRS	L49	0	instruction with reuse with vliw	USPAT
5	BRS	L52	512	pointer with provid\$4 with (instruction program word)	USPAT
6	BRS	L53	219	pointer with provid\$4 with (instruction)	USPAT
7	BRS	L54	0	pointer with "are provided as" with (instruction)	USPAT
8	BRS	L55	0	pointer with "are provided as" with program	USPAT
9	BRS	L56	0	pointer with "are provided as" with word	USPAT
10	BRS	L57	0	pointer with "is provided as" with word	USPAT
11	BRS	L58	0	pointer with "is provided as"	USPAT
12	BRS	L59	0	pointer with "is provided"	USPAT
13	BRS	L60	0	pointer with "provided"	USPAT
14	BRS	L61	0	pointer with "provide"	USPAT
15	BRS	L62	0	pointer with provide	USPAT
16	BRS	L63	194	pointer with provid\$2	USPAT
17	BRS	L64	1180	((trace reuse) with buffer) and (pointer decod\$4)	USPAT
18	BRS	L66	128	(microcode with sequence) same complex	USPAT
19	BRS	L67	0	(microcode with sequence) same (complex with index)	USPAT
20	BRS	L68	0	(microcode with sequence with index) same (complex)	USPAT
21	BRS	L69	365	712/200.ccls.	USPAT
22	BRS	L70	129	(microcode with sequence) same complex	USPAT; EPO; JPO
23	BRS	L71	147	((trace reuse) with buffer) and (pointer with decod\$4)	USPAT; EPO; JPO

	Type	L #	Hits	Search Text	DBs
24	BRS	L72	1214	((trace reuse) with buffer) and (pointer decod\$4)	USPAT; EPO; JPO
25	BRS	L73	203	pointer with provid\$2	USPAT; EPO; JPO
26	BRS	L74	5	instruction with reuse with vliw	USPAT; EPO; JPO
27	BRS	L75	258	pointer with provid\$4 with (instruction)	USPAT; EPO; JPO
28	BRS	L76	611	pointer with provid\$4 with (instruction program word)	USPAT; EPO; JPO
29	BRS	L77	1	trace with buffer with vliw	USPAT; EPO; JPO
30	BRS	L78	1	trace with buffer with vliw	USPAT; EPO; JPO
31	BRS	L79	26	(trace with buffer).ti.	USPAT; EPO; JPO
32	BRS	L80	83	(trace with buffer) and (pointer with buffer) and (pointer with (instruction pipeline execution))	USPAT; EPO; JPO
33	BRS	L81	128	(microcode with sequence) same (complex)	USPAT
34	BRS	L48	1	trace with buffer with vliw	USPAT
35	BRS	L82	1	"6031992".pn.	USPAT
36	BRS	L44	82	(trace with buffer) and (pointer with buffer) and (pointer with (instruction pipeline execution))	USPAT

	Type	L #	Hits	Search Text	DBs
37	BRS	L46	18	(trace with buffer).ti.	USPAT
38	BRS	L50	5	instruction with reuse with vliw	USPAT
39	BRS	L51	41	"6031992".URPN.	USPAT
40	BRS	L65	146	((trace reuse) with buffer) and (pointer with decod\$4)	USPAT
41	BRS	L83	24	(weiss.in. and matthias.in.) or (gerhard.in. and fettweis)	USPAT
42	BRS	L84	85	(weiss.in. and matthias.in.) or (gerhard.in. and fettweis)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B